




LED Ceiling Light



AL99 Ceiling light



AL99 ceiling light is with AL6063 aluminum housing, SMD LED chips and Opal or Microprismatic diffuser. Size options: 400mm, 600mm, 800mm, 1000mm. It can do CCT adjustable and wattage adjustable, multiple installation ways available as surface mounted, recessed, Suspended. It is with Osram flicker free driver, DALI 2.0 with push dim available.

- ▶
- ▶
- ▶
- ▶

Code	Watt	Size(AxBmm)	Lumen(±5%)	N.W/pc(kgs)	Q'ty/CTN
AL99-16-40W	40W	Ø400x86	4300lm	3.20	6PCS
AL99-24-60W	60W	Ø600x86	6700lm	6.90	2PCS
AL99-32-75W	75W	Ø800x86	8000lm	11.00	1PCS
AL99-40-100W	100W	Ø1000x86	10700lm	16.20	1PCS

CCT — 3000K — 4000K — 5000K — 5700K

Finish — White — Black

Installation accessories



Flat



Curved (Recessed)




Steel wire suspension



Wire harness suspension



Pendant rod suspension



Microprismatic diffuser


Wall mounted (Indirect lighting)



Wall mounted (Direct lighting)



AL127 Ceiling light



AL127 is a new super slim ceiling light. The base and shade are detachable which make easier maintenance and installation. Wire connection through the edge side or back side meets wider installation demand. Interchangeable CCT, interchangeable power, microwave sensor, emergency, triac and DALI dimming for options.

-
-
-
-
-
-
-
-
-
-
-
-
-
-


Code	Watt	Size(AxBmm)	Lumen(±5%)	N.W/pc(kgs)	Q'ty/CTN
AL127-10-12W	12W	Ø250x58	1300lm	0.68	20PCS
AL127-12-18W	18W	Ø300x58	1900lm	1.23	10PCS
AL127-12-25W	25W	Ø300x58	2700lm	1.23	10PCS
AL127-16-25W	25W	Ø400x58	2900lm	1.92	10PCS
AL127-16-30W	30W	Ø400x58	3200lm	1.92	10PCS
AL127-10-15W-A3	8W/12W/15W	Ø250x58	990lm/1480lm/1800lm	0.68	10PCS
AL127-12-25W-A3	15W/20W/25W	Ø300x58	1600lm/2120lm/2650lm	1.23	10PCS
AL127-16-30W-A3	18W/25W/30W	Ø400x58	1920lm/2820lm/3220lm	1.92	10PCS

CCT — 3000K 4000K 5000K 5700K

Finish — White



AL117 Ceiling light



AL117 LED ceiling light is a frameless integrated design, adopting high lumen SMD LED, flicker-free led driver, PC diffuser with uniform light. IP54 weather proof. Standard on/off, interchangeable CCT, triac dimmable, 0-10V dimmable, sensor function are all available.

-
-
-
-
-
-
-
-
-
-
-
-
-


Code	Watt	Size(AxBmm)	Lumen(±5%)	N.W/pc(kgs)	Q'ty/CTN
AL117-8-12W	12W	Ø200x46	1350lm	0.50	12PCS
AL117-11-12W	12W	Ø275x48	1350lm	0.80	12PCS
AL117-11-18W	18W	Ø275x48	1950lm	0.80	12PCS
AL117-11-25W	25W	Ø275x48	2700lm	0.80	12PCS
AL117-14-25W	25W	Ø350x48	2700lm	1.20	6PCS
AL117-14-30W	30W	Ø350x48	3200lm	1.20	6PCS

CCT — 3000K 4000K 5700K

Finish — White



AL47 Ceiling light



AL47 is a flying saucer-shaped led ceiling light, super slim and minimalistic design. Replaceable built-in power supply design with easy maintenance. Easy installation, it is twist mounting after fixing the holder on the ceiling, avoid extra nail screw work, safe and convenient.


- ▶
- ▶
- ▶
- ▶

Code	Watt	Size(AxBmm)	Lumen(±5%)	N.W/pc(kgs)	Q'ty/CTN
AL47-10-12W	12W	Ø250x53	1200lm	0.53	20PCS
AL47-12-18W	18W	Ø300x58	1900lm	0.76	10PCS
AL47-12-25W	25W	Ø300x58	2560lm	0.76	10PCS
AL47-16-25W	25W	Ø400x66	2550lm	1.31	10PCS
AL47-16-30W	30W	Ø400x66	3020lm	1.31	10PCS

CCT — 3000K 4000K 5000K 5700K

Finish — White Silver

AL47S Ceiling light



AL47S is a square and flying saucer-shaped led ceiling light, super slim and minimalistic design. Replaceable built-in power supply design with easy maintenance. Easy installation, it is twist mounting after fixing the holder on the ceiling, avoid extra nail screw work, safe and convenient.

- ▶
- ▶
- ▶
- ▶

Code	Watt	Size(AxBxCmm)	Lumen(±5%)	N.W/pc(kgs)	Q'ty/CTN
AL47S-12-18W	18W	300x300x58	1920lm	0.96	10PCS
AL47S-12-25W	25W	300x300x58	2670lm	0.96	10PCS
AL47S-16-25W	25W	400x400x58	2610lm	1.66	10PCS
AL47S-16-30W	30W	400x400x58	3160lm	1.66	10PCS

CCT — 3000K 4000K 5000K 5700K

Finish — White Black Silver